

# Oral Fluid Drug Screen / on-site device preliminary test results

To be used for collector verification, donor certification and on-site screening device results. Preliminary result should not be interpreted as a laboratory result\*.

**DONOR INFORMATION** — STEP 1: Collector completes donor information.

Requesting agency: \_\_\_\_\_ Account #: \_\_\_\_\_

Donor's last name: \_\_\_\_\_ Donor's first name: \_\_\_\_\_

Donor's social security: \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ Specimen ID: \_\_\_\_\_

**COLLECTOR VERIFICATION** — STEP 2: Collector completes and validates that the specimen was collected properly.

I certify that I collected the specimen provided by the Donor named above and that it was not substituted or adulterated to the best of my knowledge.

Collector name: \_\_\_\_\_ Collector signature: \_\_\_\_\_

Time of collection: \_\_\_\_\_ Date of collection: \_\_\_\_\_ Date shipped: \_\_\_\_\_

Comments: \_\_\_\_\_

**DONOR CERTIFICATION** — STEP 3: Donor completes and validates that the specimen was collected properly.


I certify that the specimen provided is my own and was not substituted or adulterated. I freely consent to the testing of my saliva specimen for drugs/metabolites.

Donor name (please print): \_\_\_\_\_ Donor signature: \_\_\_\_\_

Time of collection: \_\_\_\_\_ Date of collection: \_\_\_\_\_

**PRELIMINARY TEST RESULTS** — STEP 4: Perform test and log results. Use separate chain of custody label/form to submit presumptive positive specimens to a lab.

**RESULTS KEY** — For reference only. Refer to the device product insert for complete instructions.



Drug Name	Drug Code	Negative	Invalid
Amphetamine	AMP	[ ]	[ ]
Cocaine	COC	[ ]	[ ]
Marijuana	THC	[ ]	[ ]
Methamphetamine	M-AMP	[ ]	[ ]
Opiates	OPI	[ ]	[ ]
Phencyclidine	PCP	[ ]	[ ]

Presumptive Positive*	GC/MS Confirmation
[ ]	[ ]
[ ]	[ ]
[ ]	[ ]
[ ]	[ ]
[ ]	[ ]
[ ]	[ ]

Test performed by: \_\_\_\_\_

Date: \_\_\_\_\_

Positive specimen sent to lab for GC/MS confirmation: [ ] Yes [ ] No

Date: \_\_\_\_\_

For forensic use only.

\*Any positive result obtained with this saliva screening test is presumptive and should be confirmed by an alternate method such as GC/MS.